## Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

## Listing of Claims:

1(currently amended). A method of making a new dental prosthetic from an existing dental prosthetic, comprising the steps of:

- a) providing an existing dental prosthetic;
- b) providing a mold having a bottom half and a top half, the bottom half including a side wall, a closed bottom and an open top face for mating with the top half, the top half including a further side wall, a partially open bottom face for mating with the open top face of the bottom half, and a partially open top;
- c) partially filling the bottom half of the mold with a hydrocolloid first molding material;
- d) placing a first portion of the existing denture in the <a href="hydrocolloid">hydrocolloid</a> first molding material disposed in the bottom half;

- e) placing the top half of the mold on the bottom half of the mold; and
  - f) providing a dental stone second material; and
- g) covering a portion of the <a href="hydrocolloid">hydrocolloid</a> first material and a further portion of the existing denture with the dental stone second material.

2(currently amended). A method as in claim 1, wherein:

a) the step of providing the <u>dental stone</u> second material includes adding the <u>dental stone</u> second material through the partially open top and through the partially open bottom face of the top half.

3(currently amended). A method as in claim 1, wherein:

a) the  $\underline{\text{hydrocolloid}}$  first material includes an alginate.

4(currently amended). A method as in claim 2 +, wherein:

a) the <a href="hydrocolloid">hydrocolloid</a> second material includes a alginate dental stone.

5(original). A method as in claim 1, wherein:

a) the first portion of the existing dental prosthetic includes a tooth.

6(original). A method as in claim 1, wherein:

a) the second portion of the existing dental prosthetic includes a portion of a jaw side of a dental prosthetic.

7(original). A method as in claim 1, wherein:

a) a locking device is provided for attaching the top half of the mold to the bottom half.

8(original). A method as in claim 7, wherein:

a) a locking device detachably attaches the top half to the bottom half.

9(original). A method as in claim 7, wherein:

a) the locking device permanently attaches the top half to the bottom half.

10(currently amended). A method as in claim 1, further comprising the steps of:

- a) allowing the <a href="hydrocolloid">hydrocolloid</a> first and second material and the dental stone to harden;
- b) removing the dental prosthetic from the hydrocolloid first and second material and the dental stone;
- c) using the hardened <a href="https://www.ncbi.nlm.new.new.ncbi.nlm.new.new.ncbi.nlm.new.new.ncbi.nlm.new.new.ncbi.nlm.new.ncbi.nlm.new.ncbi.nlm.new.ncbi.nlm.new.ncbi.nlm.new.ncbi.nlm.new.ncbi.nlm.ne
- d) using the negative of the existing dental prosthetic to make a positive of a new dental prosthetic.

11(original). A method as in claim 10, further comprising the step of:

a) making corrections to the existing dental prosthetic prior to making the negative.

12-21(cancelled).

22(currently amended). A method of making a new dental prosthetic from an existing dental prosthetic, comprising the steps of:

- a) providing an existing dental prosthetic;
- b) providing a mold having a bottom half and a top half, the bottom half including a tapered side wall, a closed bottom and an open top face for mating with the top half, the top half including a further tapered side wall, a partially open bottom face for mating with the open top face of the bottom half, and a partially open top;
- c) partially filling the bottom half of the mold with a hydrocolloid a first molding material;
- d) placing a first portion of the existing denture in the <a href="hydrocolloid">hydrocolloid</a> first molding material disposed in the bottom half;
- e) placing the top half of the mold on the bottom half of the mold; and
  - f) providing a **dental stone** second material; and

g) covering a portion of the <a href="hydrocolloid first">hydrocolloid first</a>
<a href="material">material</a> and a further portion of the existing denture with the <a href="material">dental stone</a> second material.

23(currently amended). A method as in claim 22, wherein:

a) the step of providing the <u>dental stone</u> second material includes adding the <u>dental stone</u> second material through the partially open top and through the partially open bottom face of the top half.

24(currently amended). A method as in claim 22, wherein:

a) the <a href="hydrocolloid">hydrocolloid</a> first material includes an alginate.

25(cancelled).

26(previously presented). A method as in claim 22, wherein:

a) the first portion of the existing dental prosthetic includes a tooth.

27(previously presented). A method as in claim 22, wherein:

a) the second portion of the existing dental prosthetic includes a portion of a jaw side of a dental prosthetic.

28 (previously presented). A method as in claim 22, wherein:

a) a locking device is provided for attaching the top half of the mold to the bottom half.

29(previously presented). A method as in claim 22, wherein:

- a) a locking device detachably attaches the top half to the bottom half.
- 30(currently amended). A method as in claim 22, further comprising the steps of:
- a) allowing the <a href="hydrocolloid and the dental stone">hydrocolloid and the dental stone</a>
  <a href="first-and-second-material">first and second-material</a> to harden;

- b) removing the dental prosthetic from the <a href="hardened">hardened</a>
  <a href="hydrocolloid">hydrocolloid</a> and dental stone first and second material;
- c) using the hardened <a href="hydrocolloid and the dental">hydrocolloid and the dental</a>
  <a href="https://example.com/stope
- d) using the negative of the existing dental prosthetic to make a positive of a new dental prosthetic.

31(previously presented). A method as in claim 22, further comprising the step of:

a) making corrections to the existing dental prosthetic prior to making the negative.